## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claim 1 (original): Apparatus, comprising:

- a) a layer of dielectric;
- b) a plurality of conductors;
- c) a plurality of dielectric mounds, wherein each of the conductors is encapsulated between the layer of dielectric and a corresponding one of the dielectric mounds; and
- d) a first ground shield positioned below the layer of dielectric, and a second ground shield positioned above the dielectric mounds.

Claim 2 (original): The apparatus of claim 1, wherein the second ground shield is deposited on the dielectric mounds.

Claim 3 (original): The apparatus of claim 2, further comprising a plurality of conductive vias in the layer of dielectric; the conductive vias coupling the first and second ground shields at points about the plurality of conductors.

Claim 4 (original): The apparatus of claim 3, further comprising a plurality of ground pads deposited on the layer of dielectric; the ground pads providing a means for coupling the second ground shield to the conductive vias.

Appl. No. 10/762,143 Response dated January 3, 2006 Reply to Office Action of November 1, 2005

Claim 5 (original): The apparatus of claim 2, further comprising a plurality of ground

traces deposited on the layer of dielectric; the ground traces providing a means for

coupling the second ground shield to the conductive vias.

Claim 6 (original): The apparatus of claim 1, wherein at least some of the dielectric

mounds are separated from one another by a distance that is less than a width of one

of the dielectric mounds.

Claim 7 (original): The apparatus of claim 1, wherein at least some of the dielectric

mounds are substantially adjacent one another.

Claim 8 (previously presented): The apparatus of claim 1, wherein the layer of

dielectric and the dielectric mounds are glass dielectrics.

Claim 9 (previously presented): The apparatus of claim 1, wherein the layer of

dielectric and the dielectric mounds are ceramic dielectrics.

Claim 10 (previously presented): The apparatus of claim 1, wherein the layer of

dielectric and dielectric mounds are KQ CL-90-7858 dielectrics.

Claim 11 (previously presented): The apparatus of claim 1, wherein the layer of

dielectric and the dielectric mounds are thickfilm dielectrics.

Page 5 of 13

Appl. No. 10/762,143 Response dated January 3, 2006 Reply to Office Action of November 1, 2005

Claim 12 (orignal): The apparatus of claim 1, further comprising a substrate; the first ground shield being deposited on the substrate, and the layer of dielectric being deposited on the first ground shield.

Claim 13 (previously presented): The apparatus of claim 1, wherein the conductors and second ground shield comprise a thickfilm conductive paste.

Claim 14 (currently amended): The apparatus of claim 1, wherein the layer of dielectric, the dielectric mounds, the plurality of conductors, and the second ground shield comprise <u>respective</u> thickfilms.

Claim 15 (previously presented): A method for forming transmission lines, comprising:

- a) depositing a plurality of conductors on a layer of dielectric that is positioned above a first ground shield;
  - b) depositing a respective mound of dielectric over each conductor; and
  - c) depositing a second ground shield over the mounds of dielectric.

Claim 16 (original): The method of claim 15, further comprising, prior to depositing the mounds of dielectric, forming a plurality of conductive vias in the layer of dielectric, at points about the plurality of conductors; the conductive vias contacting the first ground shield; wherein the mounds of dielectric and second ground shield are deposited to ensure contact between the second ground shield and conductive vias.

Appl. No. 10/762,143

Response dated January 3, 2006

Reply to Office Action of November 1, 2005

Claim 17 (original): The method of claim 16, further comprising, prior to depositing

the mounds of dielectric, depositing a plurality of ground pads on the layer of

dielectric; the ground pads contacting the conductive vias.

Claim 18 (original): The method of claim 16, further comprising, prior to depositing

the mounds of dielectric, depositing a plurality of ground traces on the layer of

dielectric; the ground traces contacting the conductive vias.

Claim 19 (currently amended): The method of claim 15, wherein the layer of

dielectric and the <u>respective</u> mounds of dielectric are KQ CL-90-7858 dielectrics.

Claim 20 (previously presented): The method of claim 19, wherein each of i) the

layer of dielectric, and ii) the mounds of dielectric, are deposited by printing multiple

layers of thickfilm dielectric and then firing the layers.

Page 7 of 13